

# Selector

## High Pressure Sodium



**Lucalox™**  
 Cap: E27, E40  
 Wattages: 50-1000W  
 Finish: Tubular Clear or Elliptical Diffuse  
 Life: 24,000-28,500Hrs  
 Page: 50-51



**Lucalox™ XO**  
 Cap: E27, E40  
 Wattages: 50-600W  
 Feature: Extra high lumen output  
 Finish: Tubular Clear or Elliptical Diffuse  
 Life: 28,500-32,000Hrs  
 Page: 50



**Lucalox™ PSL**  
 Cap: E40  
 Wattages: 250-750W  
 Feature: Designed for Greenhouse lighting  
 Finish: Tubular Clear  
 Life: 10,000-12,000Hrs  
 Page: 51

## High Pressure Sodium – Others



**Lucalox™ TD**  
 Cap: RX7s-24  
 Wattages: 250-1000W  
 Life: 20,000Hrs  
 Page: 51



**Lucalox™ E-Z Lux™**  
 Cap: E27  
 Wattages: 110W  
 Feature: Direct replacement for mercury lamps  
 Life: 16,000Hrs  
 Page: 51



**Lucalox™ Internal Ignitor**  
 Cap: E27  
 Wattages: 50-70W  
 Feature: Internal ignitor  
 Finish: Elliptical Clear or Diffuse  
 Life: 12,000Hrs  
 Page: 51



**Lucalox™ XO Superlife**  
 Cap: E27, E40  
 Wattages: 50-400W  
 Feature: Extra high lumen output and Twin Arc tubes for extra life  
 Finish: Tubular Clear or Elliptical Diffuse  
 Life: 40,000-55,000Hrs  
 Page: 50



**Lucalox™ Superlife**  
 Cap: E27, E40  
 Wattages: 50-400W  
 Feature: Twin Arc tubes for extra life  
 Finish: Tubular Clear or Elliptical Diffuse  
 Life: 40,000-55,000Hrs  
 Page: 50

## Mercury Lamps



**Kolorlux Standard**  
 Cap: E27, E40  
 Wattages: 50-400W  
 Life: 20,000Hrs  
 Page: 52




**Kolorlux Deluxe**  
 Cap: E27, E40  
 Wattages: 50-400W  
 Life: 20,000Hrs  
 Page: 52




**Mixed Light**  
 Cap: E27, E40, B22  
 Wattages: 160-500W  
 Voltage: 230-240V or 240-250V  
 Life: 8,000Hrs  
 Page: 52


# High Intensity Discharge Lamps


## High Pressure Sodium Lamps


Wattage [W]	Volts [V]	Cap	Product Description	Product Code	Lumen [lm]	CCT [K]	CRI [Ra]	Operating position	Rated Life [h]	Length [mm]	Diameter [mm]	Pack Qty
<b>Lucalox™ XO Tubular Clear</b> 												
50	85	E27	LU50/85/XO/T/27	93373	4400	2100	25	U	28,500	156	38.5	25
70	90	E27	LU70/90/XO/T/27	93375	6600	2100	25	U	28,500	156	38.5	25
100	100	E40	LU100/100/XO/T/40	93376	10700	2100	25	U	32,000	211	48	12
150	100	E40	LU150/100/XO/T/40	93377	17500	2100	25	U	32,000	211	48	12
250	100	E40	LU250/XO/T/40	93378	33000	2100	25	U	32,000	260	48	12
400	100	E40	LU400/XO/T/40	93269	56500	2100	25	U	32,000	283	48	12
600	115	E40	LU600/XO/T/40	93270	90000	2100	25	U	32,000	283	48	12




<b>Lucalox™ XO Elliptical Diffuse</b> 												
50	85	E27	LU50/85/XO/D/27	45696	3600	2100	25	U	28,500	156	72	12
70	90	E27	LU70/90/XO/D/27	45697	6000	2100	25	U	28,500	156	72	12
100	100	E40	LU100/100/XO/D/40	93379	10000	2100	25	U	32,000	186	76	12
150	100	E40	LU150/100/XO/D/40	93380	16900	2100	25	U	32,000	227	91	12
250	100	E40	LU250/XO/D/40	93381	31200	2100	25	U	32,000	227	91	12
400	105	E40	LU400/XO/D/40	93296	54000	2100	25	U	32,000	282	122	6





<b>Lucalox™ XO Superlife Tubular Clear</b> 												
50	85	E27	LU 50/XO/SBY/T/E27	78736	4400*	2000	25	U	40,000	156	38.5	25
70	90	E27	LU 70/XO/SBY/T/E27	88258	6600	2000	25	U	40,000	156	38.5	25
100	100	E40	LU 100/XO/SBY/T/E40	88256	10700	2000	25	U	55,000	211	48	12
150	100	E40	LU 150/XO/SBY/T/E40	78737	17500*	2000	25	U	55,000	211	48	12
250	100	E40	LU 250/XO/SBY/T/E40	78738	33200*	2000	25	U	55,000	260	48	12
400	100	E40	LU 400/XO/SBY/T/E40	78739	56500*	2000	25	U	55,000	283	48	12





\* Provisional Data

<b>Lucalox™ XO Superlife Elliptical Diffuse</b> 												
70	90	E27	LU 70/XO/SBY/D/E27	88257	6000	2000	25	U	40,000	156	71	12
100	100	E40	LU 100/XO/SBY/D/E40	88255	10000	2000	25	U	55,000	186	75	12





<b>Lucalox™ Superlife Tubular Clear</b> 												
50	85	E27	LU50/85/MO/SBY/T/E27	88558	3400	2000	25	U	40,000	156	38.5	25
70	90	E27	LU70/90/MO/SBY/T/E27	88268	6000	2000	25	U	40,000	156	38.5	25
100	100	E40	LU100/100/MO/SBY/T/40	17899	9600	2000	25	U	50,000	211	48	12
150	100	E40	LU150/100/SBY/T/40	35594	15000	2000	25	U	50,000	211	48	12
250	100	E40	LU250/SBY/T/40	35586	27500	2000	25	U	55,000	260	48	12
400	100	E40	LU400/SBY/T/40	35582	50000	2000	25	U	55,000	283	48	12






<b>Lucalox™ Superlife Elliptical Diffuse</b> 												
50	85	E27	LU50/85/MO/SBY/D/E27	88557	3300	2000	25	U	40,000	156	72	12
70	90	E27	LU70/90/MO/SBY/D/E27	88269	5800	2000	25	U	40,000	156	72	12
150	100	E40	LU150/100/SBY/D/40	35589	14500	2000	25	U	50,000	227	91	12
250	100	E40	LU250/SBY/D/40 w	35590	26000	2000	25	U	55,000	227	91	12
400	105	E40	LU400/SBY/D/40	35591	47500	2000	25	U	55,000	282	122	6




<b>Lucalox™ Standard Tubular Clear</b> 												
50	85	E27	LU50/85/MO/T/E27 1/25	88553	3400	2000	25	U	28,500	156	38.5	25
70	90	E27	LU 70/90/MO/T/E27 1/25	46221	6000	2000	25	U	28,500	156	38.5	25
100	100	E40	LU100/100/MO/T/40	93767	9600	2000	25	U	28,500	211	48	12
150	100	E40	LU150/100/40	44244	15000	2000	25	U	28,500	211	48	12
250	100	E40	LU250/T/40	22453	27500	2000	25	U	28,500	260	48	12
400	100	E40	LU400/T/40	11678	48000	2000	25	U	28,500	283	48	12
1000	110	E40	LU1000/110/T/40 4pk	45751	130000	2000	25	U	24,000	372	67	4





 External Ignitor  Internal Ignitor

Wattage [W]	Volts [V]	Cap	Product Description	Product Code	Lumen [lm]	CCT [K]	CRI [Ra]	Operating position	Rated Life [h]	Length [mm]	Diameter [mm]	Pack Qty
<b>Lucalox™ Standard Elliptical Diffuse</b> 												
50	85	E27	LU50/85/MO/D/E27 1/25	88554	3300	2000	25	U	28,500	156	72	12
70	90	E27	LU 70/90/MO/D/E27 1/12	46217	5800	2000	25	U	28,500	156	72	12
100	100	E40	LU100/100/MO/D/40	93766	9200	2000	25	U	28,500	186	76	12
150	100	E40	LU150/100/D/40	44245	14500	2000	25	U	28,500	227	91	12
250	100	E40	LU250/D/40	44052	26000	2000	25	U	28,500	227	91	12
400	100	E40	LU400/D/40	44057	47500	2000	25	U	28,500	282	122	6
1000	110	E40	LU1000/110/D/40	30228	120000	2000	25	U	24,000	372	162	1




<b>Lucalox™ Internal Ignitor Elliptical Clear</b> 												
70	90	E27	LU 70/90/MO/I/E27 1/12	46209	6000	2000	25	U	12,000	156	72	12



<b>Lucalox™ Internal Ignitor Elliptical Diffuse</b> 												
50	85	E27	LU50/85/MO/D/I/E27 1/12	88556	3300	2000	25	U	12,000	156	72	12
70	90	E27	LU70/90/MO/D/I/E27 1/12	46186	5800	2000	25	U	12,000	156	72	12






<b>Lucalox™ TD Double Ended</b> 												
250	100	RX7s-24	LU250/TD	30241	23000	2000	25	HOR±20°	20,000	191	22.4	10
400	100	RX7s-24	LU400/TD	30244	43000	2000	25	HOR±20°	20,000	256	22.4	10
1000	250	RX7s-24	LU1000/TD	30246	137000	2000	25	HOR±20°	20,000	334	22.4	10





<b>Lucalox™ E-Z Lux™ Elliptical Diffuse – Mercury Retrofit</b> 												
110	110	E27	LUH110/D/27-SHx	39512	8800	2000	25	U	16,000	175	72	40



 External Ignitor,  Internal Ignitor

<b>Lucalox™ PSL (PhotoSynthesis Light) Tubular Clear</b> 												
250	115	E40	LU250W/PSL/T/E40	88665	33000	2100	22	U	10000	283	48	12
400	110	E40	LU400W/PSL/T/E40	17106	56500	2100	22	U	12,000*	283	48	12
400	110	E40	LU400W/PSL/T/E40/Bulk	44304	56500	2100	22	U	12,000*	283	48	63
600	115	E40	LU600W/PSL/T/E40	17107	90000	2100	22	U	12,000*	283	48	12
600	115	E40	LU600W/PSL/T/E40/Bulk	44305	90000	2100	22	U	12,000*	283	48	63
750	115	E40	LU750W/PSL/T/E40	17108	112000	2100	22	U	10,000*	293	51	12
750	115	E40	LU750W/PSL/T/E40/Bulk	44306	112000	2100	22	U	10,000*	293	51	63
600	115	E40	LU400V/600W/PSL/T/E40	43440	90000	2100	22	U	12,000*	283	48	12
600	115	E40	LU400V/600W/PSL/T/E40/Bulk	43439	90000	2100	22	U	12,000*	283	48	63
750	115	E40	LU400V/750W/PSL/T/E40	43438	112000	2100	22	U	12,000*	293	51	12
750	115	E40	LU400V/750W/PSL/T/E40/Bulk	43437	112000	2100	22	U	12,000*	293	51	63



\*90% reliability  External Ignitor,  Internal Ignitor

# High Intensity Discharge Lamps

## High Pressure Mercury Lamps

Wattage (W)	Volts (V)	Cap	Product Description	Product Code	Lumen (lm)	CCT (K)	CRI (Ra)	Operating position	Rated Life (h)	Length (mm)	Diameter (mm)	Pack Qty
<b>Kolorlux™ Mercury Standard</b>												
50	95	E26	H50/27 1/24	74171*	1800	4000	45	U	16,000	130	56	24
80	115	E27	H80/27 1/24	74172	3800	4000	40	U	20,000	166	71	24
80	115	B22	H80/B22 1/24	74173	3800	4000	40	U	20,000	166	71	24
125	125	E27	H125/27 1/24	73736	6300	4000	40	U	20,000	178	76	24
125	125	B22	H125/B22 1/24	77071	6300	4000	40	U	20,000	178	76	24
250	130	E40	H250/40 1/12	73737	13000	4000	40	U	20,000	227	91	12
400	135	E40	H400/40 1/12	74174	22500	4000	40	U	20,000	292	122	12

## Kolorlux™ Mercury Deluxe

50	95	E27	H50 DX E27 1/24	77055*	1800	3700	53	U	16,000	130	56	24
80	115	E27	H80 DX E27 1/24	77056	3800	3600	54	U	20,000	166	71	24
125	125	E27	H125NDX E27 1/24	77057	6600	3500	52	U	20,000	178	76	24
250	130	E40	H250NDX E40 1/12	77058	13800	3400	50	U	20,000	228	91	12
400	135	E40	H400 DX E40 1/12	77061	24400	3400	47	U	20,000	292	122	12

\*Estimated launch April 2010. The data shown is target performance data.

## Mixed Light

160	230-240	E27	ML 230-240V 160W E27	96724	3100	4200	52	U	8,000	170	76	24
160	230-240	B22	ML 230-240V 160W B22	96727	3100	4200	52	U	8,000	170	76	24
160	240-250	E27	ML 240-250V 160W E27	96728	3100	4200	52	U	8,000	170	76	24
250	230-240	E27	ML 230-240V 250W E27	96725	5600	3800	52	U	8,000	227	91	12
250	230-240	E40	ML 230-240V 250W E40	96723	5600	3800	52	U	8,000	227	91	12
250	240-250	E40	ML 240-250V 250W E40	96726	5600	3800	52	U	8,000	227	91	12
500	230-240	E40	ML 230-240V 500W E40	96713	14000	3800	40	U	8,000	292	121	10

# Brand cross reference

The following pages show GE and alternative brand Order Codes. These cross references are provided as a quick guide and may only represent a near equivalent to other brands. The table contains data from alternative brands' catalogues and website.

GE	OSRAM	PHILIPS
<b>ConstantColor CMH™</b>		
CMH20/TC/UVC/830/GU6.5	HCI-TF 20W/830 WDL PB GU6.5	CDM-Tm Mini PGJ5 20W/830*
CMH20/TC/UVC/U/830/G8.5 Plus	HCI-TC 20W/830 WDL PB G8.5	CDM-TC 20W/830 G8.5 1CT*
CMH35/T/UVC/930/GU6.5	-	CDM-Tm Mini PGJ5 35W/830
CMH35/T/UVC/942/GU6.5	-	-
CMH35/TC/UVC/U/830/G8.5 Plus	HCI-TC 35W/830 WDL PB G8.5	CDM-TC 35W/830 G8.5
CMH35/TC/UVC/U/942/G8.5	HCI-TC 35W/942 NDL PB UVS G8.5	CDM-TC 35W/942 G8.5
CMH35/TC/UVC/U/930/G8.5 ULTRA	-	CDM-T Elite 35W/930 G8.5 1CT*
CMH70/TC/UVC/U/830/G8.5 Plus	HCI-TC 70W/830 WDL PB G8.5	CDM-TC 70W/830 G8.5
CMH70/TC/UVC/U/942/G8.5	HCI-TC 70W/942 NDL PB G8.5	CDM-TC 70W/942 G8.5
CMH70/TC/UVC/U/930/G8.5 ULTRA	HCI-TC 70/930 WDL PB Shop G8.5*	CDM-TC Elite 70W/930 G8.5*
CMH20/T/UVC/U/830/G12 Plus	-	CDM-T 20W/830 G12 1CT*
CMH35/T/UVC/U/830/G12 Plus	HCI-T 35W/830 WDL PB G12	CDM-T 35W/830 G12
CMH35/T/UVC/U/942/G12	HCI-T 35W/942 NDL PB UVS G12	CDM-T 35W/942 G12
CMH35/T/UVC/U/930/G12 ULTRA	-	CDM-T Elite 35W/930 G12 1CT*
CMH70/T/UVC/U/830/G12	HCI-T 70W/830 WDL PB G12	CDM-T 70W/830 G12
CMH70/T/UVC/U/942/G12	HCI-T 70W/942 NDL PB UVS G12	CDM-T 70W/942 G12
CMH70/T/UVC/U/930/G12 ULTRA	HCI-TC 70/930 WDL PB Shop G12	CDM-T Elite 70W/930 G12*
CMH150/T/UVC/U/830/G12	HCI-T 150W/830 WDL PB G12	CDM-T 150W/830 G12
CMH150/T/UVC/U/942/G12	HCI-T 150/NDL PB UVS G12	CDM-T 150W/942 G12
CMH35/TD/UVC/830/RX7s	-	-
CMH70/TD/UVC/830/Rx7s	HCI-TS 70W/830 WDL PB UVS RX7S	CDM-TD 70W/830 RX7s
CMH70/TD/UVC/942/Rx7s	HCI-TS 70W/942 NDL PB UVS RX7S	CDM-TD 70W/942 RX7s
CMH150/TD/UVC/830/Rx7s-24	HCI-TS 150W/830 WDL PB RX7S-24	CDM-TD 150W/830 RX7s-24
CMH150/TD/UVC/942/Rx7s-24	HCI-TS 150W/942 NDL PB RX7S-24	CDM-TD 150W/942 RX7s-24
CMH20/MR16/UVC/830/GX10/SP12	HCI-R16 20/830 WDL PB 12D	MASTERColour CDM-R Mini 20W/830 GX10 MR16 10D 1CT
CMH20/MR16/UVC/830/GX10/FL25	HCI-R16 20/830 WDL PB 24D	MASTERColour CDM-R Mini 20W/830 GX10 MR16 25D 1CT
CMH20/MR16/UVC/830/GX10/WFL40	HCI-R16 20/830 WDL PB 40D	MASTERColour CDM-R Mini 20W/830 GX10 MR16 40D 1CT
CMH35/MR16/UVC/930/GX10/SP12	-	-
CMH35/MR16/UVC/930/GX10/FL25	-	-
CMH35/MR16/UVC/930/GX10/WFL40	-	-
CMH35/MR16/UVC/942/GX10/SP12	-	-
CMH35/MR16/UVC/942/GX10/FL25	-	-
CMH35/MR16/UVC/942/GX10/WFL40	-	-
CMH20/PAR20/UVC/830/E27/SP10	-	-
CMH20/PAR20/UVC/830/E27/FL25	-	-
CMH35/PAR20/830/E27/SP10	HCI-PAR20 35W/830 WDL SP E27	CDM-R 35W/830 E27 PAR20L10D
CMH35/PAR20/830/E27/FL25	HCI-PAR20 35W/830 WDL FL E27	CDM-R 35W/830 E27 PAR20L30D
CMH35/PAR20/UVC/942/E27/SP10	HCI-PAR20 35W/942 NDL PB SP 10D	CDM-R 35W/942 E27 PAR20L30D
CMH35/PAR20/UVC/942/E27/FL25	HCI-PAR20 35W/942 NDL PB SP 30D	CDM-R 35W/942 E27 PAR20L30D
CMH20/PAR30/UVC/830/E27/SP10	HCI-PAR30 20W/830 WDL SP E27	-
CMH20/PAR30/UVC/830/E27/FL25	HCI-PAR30 20W/830 WDL FL E27	-
CMH35/PAR30/UVC/830/E27/SP10	HCI-PAR30 35W/830 WDL SP E27	CDM-R 35W/830 E27 PAR20L10D
CMH35/PAR30/UVC/830/E27/FL25	HCI-PAR30 35W/830 WDL FL E27	CDM-R 35W/830 E27 PAR20L30D
CMH35/PAR30/UVC/942/E27/SP10	HCI-PAR30 35W/942 NDL PB SP 10D	-
CMH35/PAR30/UVC/942/E27/FL25	HCI-PAR30 35W/942 NDL PB SP 30D	-
CMH70/PAR30/UVC/830/E27/SP15	HCI-PAR30 70W/830 WDL SP E27	CDM-R 70W/830 E27 PAR30L10D
CMH70/PAR30/UVC/830/E27/FL40	HCI-PAR30 70W/830 WDL FL E27	CDM-R 70W/830 E27 PAR30L40D
CMH70/PAR30/UVC/942/E27/FL15	HCI-PAR30 70W/942 NDL PB SP 10D	CDM-R 70W/942 E27 PAR30L10D
CMH70/PAR30/UVC/942/E27/SP40	HCI-PAR30 70W/942 NDL PB FL 30D	CDM-R 70W/942 E27 PAR30L40D
CMH70/E/UVC/U/830/E27/C	HCI-E/P 70/830 WDL PB E27 clear	CDM-ET 70W /830 E27
CMH100/E/UVC/U/830/E27/C	HCI-E/P 100/830 WDL PB clear	CDM-ET 100W /830 E40
CMH150/UVC/O/U/942/E27/C	HCI-E/P 150W/942 NDL PBMO CL E27	-
CMH70/E/UVC/U/830/E27/D	HCI-E/P 70W/830 NDL PB COE27	CDO-ET Coated 70W/828 E27
CMH70/UVC/O/U/940/E27/D	HCI-E/P 70W/942 NDL Coated E27	-
CMH100/E/UVC/U/830/E27/D	HCI-E/P 100W/830 WDL PB Coated E27	CDO-ET Coated 100W/828 E40
CMH150/UVC/O/U/940/E27/D	HCI-E/P 150W/942 NDL PB MO E27	CDO-ET Coated 150W/828 E40
CMH250/E/UVC/U/830/E40/D	HCI-E 250W/830 WDL PB E40	-
CMH400/E/UVC/U/830/E40/D	-	-



# High Intensity Discharge Lamps

GE	OSRAM	PHILIPS	Havells Sylvania
<b>ConstantColor CMH™</b>			
CMH70/TT/UVC/830/E27	HCI-T/P 70W/830 WDL PB E27	CDO-TT 70W /828 E27*	-
CMH100/TT/UVC/830/E40	-	CDO-TT 100W /828 E27*	-
CMH150/TT/UVC/830/E40	HCI-T/P 150W/830 WDL PB E40	CDO-TT 150W/828 E40*	-
CMH150/UVC/TT/U/842/E40	-	CDO-TT 150W/828 E40*	-
CMH150/UVC/O/TT/U/830/E40	HCI-T/P 150W/830 NDL PB E40	-	-
CMH150/T/UVC/O/U/942/E40	HCI-T/P 150W/942 NDL PB E40	-	-
CMH250/TT/UVC/U/830/E40	HCI-T 250W/830 WDL PB E40	CDO-TT 250W /828 E27	-
KRC250/CMH/830/T/H/E40	-	-	-
CMH400/TT/UVC/U/830/E40	-	-	-
<b>Arcstream™</b>			
ARC70/T/U/730/G12	HQI T 70/WDL	MHN-T70W/830	HSI-T 70W/WDL
ARC70/T/U/842/G12	HQI T 70/NDL	MHN-T70W/942	HSI-T 70W/NDL
ARC150/G12/830	-	-	-
ARC150/G12/842	-	-	-
ARC70/UVC/TD/730/Rx7s	HQI TS 70/WDL UVS	MHW-TD70W	HSI-TD 75W/WDL 3K UVS
ARC70/UVC/TD/742/Rx7s	HQI TS 70/NDL UVS	MHN-TD70W	HSI-TD 75W/NDL 4K UVS
ARC150/UVC/TD/732/Rx7s-24	HQI TS 150/WDL UVS	MHW-TD150W	HSI-TD 150W/WDL 3K UVS
ARC150/UVC/TD/742/Rx7s-24	HQI TS 150/NDL UVS	MHN-TD150W	HSI-TD 150W/NDL 4K UVS
ARC150/TD/952/Rx7s-24	-	-	-
ARC150/UVC/AQUA/TD/865/Rx7s-24	-	-	-
ARC250/TD/832/Fc2	HQI TS 250/WDL UVS	MHW-TD250W	HSI-TD 250W/NDL 3K UVS
ARC250/TD/842/Fc2	HQI TS 250/NDL UVS	MHN-TD250W	HSI-TD 250W/NDL 4K UVS
ARC150/UVC/TD/GREEN/RX7S-24	-	-	-
ARC150/UVC/TD/BLUE/RX7S-24	-	-	-
ARC150/UVC/TD/ORANGE/RX7S-24	-	-	-
ARC150/UVC/TD/MAGENTA/RX7S-24	-	-	-
ARC250/T/VBU/960/E40	HQI-T 250/D	-	-
ARC250/T/H/960/E40	-	-	-
ARC400/T/H/742/E40	-	-	-
ARC250/D/H/740/E40	-	-	-
ARC250/D/H/960/E40	HQI-E 250/D	-	-
ARC250/D/VBU/960/E40	HQI-E 250/D	CDO-TT 100W /828 E27*	-
<b>Kolorarc™</b>			
KRC400/T/H/960/E40	-	-	-
KRC400/T/VBU/960/E40	-	-	-
KRC400/E/VBU/645/E40	-	-	HSI-T 400W/4K
KRC400/D/VBU/740/E40	-	-	-
KRC400/D/H/740/E40	-	-	-
KRC400/D/VBU/960/E40	-	-	-
KRC400/D/H/960/E40	-	-	-
<b>Multi-vapor™</b>			
MVR250/U/40	-	-	-
MVR400/U/40	-	-	-
MVR1000/U/40	-	-	-
MVR250/C/U/40	-	-	-
MVR400/C/U/40	-	-	-
MVR400/VBU/40	-	-	-
MVR400/C/VBU/40	-	-	HSI-MP 400W/C/BU
MPR400/C/VBU/0/40	-	-	-
<b>Sportlight™</b>			
SPL1500/L/H/652/Rx7SM	-	-	-
SPL2000/L/H/654	-	-	-
SPL2000/T/H/960/E40	HQI-T 2000/D	MASTER HPI-T PRO /646	-
SPL2000/I/T/H/640/E40	HQI-T 2000 /N	MASTER HPI-T PRO /646	-
SPL2000/I/T/H/960/E40	HQI-T 2000 /D/I	-	-
SPL1000/T/H/960/E40 1/4	-	-	-
<b>Blended Light</b>			
ML 160/230-240V E27	HWL 160 235V	ML 160W ES 235-245	HSB-BW 160W 240V E27
ML 160/230-240V B22	-	ML 160W B22 235-245	-
ML 160/240-250V	-	-	-
ML 250/230-240V E40	HWL 250 235V	ML 250W ES 235-245 E40	HSB-BW 250W 240V E40
ML 250/230-240V E27	-	ML 250W ES 235-245 E27	-
ML 250/ 240-250V E40	-	-	-
ML 500/230-240V E40	HWL 500 235V	ML 500W ES 235-245 E40	HSB-BW 500W 240V E40

\*Similar type. Information is gathered from relevant official web sites as of October, 2009



# Brand cross reference

GE	OSRAM	PHILIPS	Havells Sylvania
<b>Lucalox™ Standard</b>			
LU50/85/D/27	NAV-E 50/E	SON Pro 50W E	SHP 50W/CO-E
LU70/90/D/27	NAV-E 70/E	SON Pro 70W E	SHP 70W/CO-E
LU100/100/MO/D/40	NAV-E 100	SON Pro 100W E	SHP 100W
LU150/100/D/40	NAV-E 150	SON Pro 150W E	SHP 150W
LU250/D/40	NAV-E 250	SON Pro 250W E	SHP 250W
LU400/D/40	NAV-E 400	SON Pro 400W E	SHP 400W
LU1000/110/D/40	NAV-E 1000	SON Pro 1000W E	-
LU50/85/T/27	-	-	-
LU70/90/T12/27	NAV-T 70	SON- T Pro 70W	SHP-T 70W
LU100/100/MO/T/40	NAV-T 1000	SON- T Pro 100W	-
LU150/100/T /40	NAV-T 150	SON-T Pro 150W	SHP-T 150W
LU250/T/40	NAV-T 250	SON-T Pro 250W	SHP-T 150W
LU400/T/40	NAV-T 400	SON-T Pro 400W	SHP-T 400W
LU1000/110/T/40	NAV-T 1000	SON-T Pro 1000W	SHP-T 1000W
<b>Lucalox™ XO</b>			
LU50/85/XO/D/27	-	-	-
LU70/90/XO/D/27	-	MASTER SON PIA PLUS 70W	-
LU100/100/XO/D/40	NAV-E 100 SUPER 4Y	-	-
LU250/XO/D/40	NAV-E 250 SUPER 4Y	MASTER SON PIA PLUS 250W	-
LU400/XO/D/40	NAV-E 400 SUPER 4Y	MASTER SON PIA PLUS 400W	-
LU50/85/XO/T/27	NAV-T 50 SUPER 4Y	MASTER SON-T PIA PLUS 50W	-
LU70/90/XO/T/27	NAV-T 70 SUPER 4Y	MASTER SON-T PIA PLUS 70W	-
LU100/100/XO/T/40	NAV-T 100 SUPER 4Y	MASTER SON-T PIA PLUS 100W	-
LU150/150/XO/T/40	NAV-T 150 SUPER 4Y	MASTER SON-T PIA PLUS 150W	-
LU250/XO/T/40	NAV-T 250 SUPER 4Y	MASTER SON-T PIA PLUS 250W	-
LU400/XO/T/40	NAV-T 400 SUPER 4Y	MASTER SON-T PIA PLUS 400W	-
LU600/XO/T/40	NAV-T 600 SUPER 4Y	MASTER SON-T PIA PLUS 600W	-
<b>Lucalox™ I</b>			
LU50/85/D/I/27	NAV-E 50/I	SON Pro 50W I	SHP 50W/CO-I
LU70/90/D/I/27	NAV-E 70/I	SON Pro 70W I	SHP 70W/CO-I
LU70/90/I/27	-	SON Pro70W I CLEAR	SHP 70W/CL-I
<b>Lucalox™ E-Z lux</b>			
LUH110/D/27 - SHx	NAV-E 110	SON-H Pro 110W	SHx 110W E27
<b>Lucalox™ TD</b>			
LU250/TD	NAV-TS 250	-	-
LU400/TD	NAV-TS 400	-	-
LU1000/TD	-	-	-
<b>Lucalox™ SUPERLIFE</b>			
LU50/85/SBY/T/27	-	-	-
LU70/90/SBY/T/27	-	-	-
LU70/90/XO/SBY/T12/E27	-	-	SHP-TS 70w Twinarc
LU100/100/SBY/T/40	-	-	-
LU100/100/XO/SBY/T/E40	-	-	SHP-TS 100w Twinarc
LU150/100/SBY/T/40	-	-	SHP-T 150W SBY
LU250/SBY/T/40	-	-	SHP-T 250W SBY
LU400/SBY/T/40	-	-	SHP-T 400W SBY
LU50/85/SBY/D/27	-	-	-
LU70/90/SBY/D/27	-	-	SHP 70W SBY
LU70/90/XO/SBY/D/E27	-	-	SHP-S 70w Twinarc
LU100/100/XO/SBY/D/E40	-	-	SHP-S 100w Twinarc
LU150/100/SBY/D/40	-	-	SHP 150W SBY
LU250/SBY/D/40	-	-	SHP 250W SBY
LU400/SBY/D/40	-	-	SHP 400W SBY
<b>Kolorlux Standard</b>			
H125/27	HQL 125	HPL-N 125W	HSL-BW 125W E27
H250/40	HQL 250	HPL-N 250W	HSL-BW 250W E40

